



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCURE -MENT
3-080410	480942178	Murphy Tractor & Equipment Co. Jim Levy 8600 NE Parvin Rd. Kansas City, MO 64161 (816) 483-5000 816-806-7033 Cell jlevy@murphytractor.com	1,4,7,8,9 10	Yes
3-080410		Dean Machinery Co. Steve Phillips 1201 W. 31 st Street Kansas City Mo. 64141 816-536-1401 steve.phillips@deancat.com	1,2,4,5,7 8	Yes
3-080410	440390945	The Victor L Phillips Company Dan Rude 4100 Gardner Ave Kansas City MO. 64120 816-241-9290 drude@vlpco.com	1,4,7,8	Yes
3-080410	431037077	Luby Equipment Jerry Jansen 2300 Cassens Dr. Fenton Mo. 63026 800-830-9970 217-222-5454 Cell jjansen@lubyequipment.com	3,6,10	Yes
3-080410	431613306	Crown Power & Equipment John Lafoy 3621 Rockport Hills Rd. Jefferson City MO. 65101 573-636-5281 jlafoy@crown-power.com	2,5	Yes
3-080410	371324032	Roland Machinery Co. William G. Mitchell 4670 Crossroads Industrial Drive Bridgeton MO. 63044 314-291-1330 vkeough@rolandmachinery.com	2,3,5,6, 10	Yes



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCURE -MENT
3-080410		Rudd Equipment Co. John Barteau 4679 Baumgartner Rd. St. Louis Mo. 63129 314-487-8925 jbarteau@ruddequipment.com	2,3,5,6,9 10	Yes
3-080410		Pat Kelly Co. Rich Sahrman 5920 N. Lindbergh Blvd. Hazelwood, MO. 63042 314-895-9500 sales@patkelly.com	2,3,5,6, 10	Yes



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Tri-State Construction

Item – 1 Manufacturer’s Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 50D

PRICE: \$50,200.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	38.1
Engine:	YANMAR
Engine Model	4TNV88
Operating Weight	10,811 lbs
Operating Weight (metric ton)	5
Max Dig Depth	11’ 8”
Tail overhang over side (in)	3’ 3” Radius
Length of track on ground	8’ 2”
Reach @ ground Level	19’ 6”
Dump Height	13’ 5.4”
Track shoe or rubber shoe width	16” (Rubber)

AVAILABLE OPTIONS:

16”Steel Tracks	\$1,385.00
5’ 7” Long arm in lieu of stand. 4’ 6:	\$1,040.00
Cab with heat and a/c	\$4,150.00
Cloth suspension seat	\$265.00
12” Heavy Duty Bucket	\$672.00
18” Heavy Duty Bucket/Teeth	\$735.00
24” Heavy Duty Bucket/Teeth	\$830.00
30” Heavy Duty Bucket/Teeth	\$890.00
36” Heavy Duty Bucket/Teeth	\$920.00
Hydraulic Thumb (Short Arm)	\$940.00
Hydraulic Thumb (Long Arm)	\$940.00
Hydraulic Flow Selector Valve	\$490.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2, 3, 5.



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: ERB Equipment

Item – 1 Manufacturer’s Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 50D

PRICE: **\$48,940.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	40
Engine:	YANMAR
Engine Model	4TNV88
Operating Weight	10,428 lbs
Operating Weight (metric ton)	4.73
Max Dig Depth	11’ 9” standard arm
Tail overhang over side (in)	0
Length of track on ground	6’ 6.7”
Reach @ ground Level	19’ standard
Dump Height	13’ 5.4” standard arm
Track shoe or rubber shoe width	16”

AVAILABLE OPTIONS:

16”Steel Tracks	\$1,390.00
Rubber Crawler pads in lieu of rubber track	\$3,925.00
Long arm (5’ 7”) with counterweight Extends over the edge of track	\$1,045.00
Cab with heat and air conditioner	\$4,147.00
Suspension seat – cloth for cab unit only	\$258.00
12” Bucket	\$578.00
18” Bucket	\$640.00
24” Bucket	\$720.00
36” Bucket (Ditch no teeth)	\$798.00
Hydraulic Clamp with additional hoses for use with Quick Coupler Bucket	\$1,228.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 75 days or less after receipt of order.

Vendor bidding only Districts 6, 10.



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: Contract Number: 3-080410

Vendor: Murphy Tractor

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: John Deere/Hitachi

50D/ZX 50U-3

PRICE: \$ 50,000.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	38.1
Engine:	YANMAR
Engine Model	4TNV88
Operating Weight	10,811 lbs
Operating Weight (metric ton)	5
Max Dig Depth	11' 8"
Tail overhang over side (in)	3' 3"
Length of track on ground	8' 2"
Reach @ ground Level	19' 6"
Dump Height	13' 5.4"
Track shoe or rubber shoe width	16" (Rubber)

AVAILABLE OPTIONS:

16" Steel Tracks	\$1,400.00
5' 7" Long arm in lieu of stand. 4' 6":	\$1,005.00
Cab with heat and a/c	\$4,160.00
Cloth suspension seat	\$265.00
12" Heavy Duty Bucket	\$675.00
18" Heavy Duty Bucket/Teeth	\$740.00
24" Heavy Duty Bucket/Teeth	\$830.00
30" Heavy Duty Bucket/Teeth	\$890.00
36" Heavy Duty Bucket/Teeth	\$920.00
Hydraulic Thumb (Short Arm)	\$950.00
Hydraulic Thumb (Long Arm)	\$975.00
Hydraulic Flow Selector Valve	\$450.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1, 4 7,8, 9.



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Victor L. Phillips

Item – 1 Manufacturer’s Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Case CX 50B

PRICE: \$48,161.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	39.8
Engine:	YANMAR
Engine Model	4TNV88
Operating Weight	10,261 lbs
Operating Weight (metric ton)	4.5
Max Dig Depth	11’ 9”
Tail overhang over side (in)	0
Length of track on ground	8’ 1”
Reach @ ground Level	9’
Dump Height	13’ 5.4”
Track shoe or rubber shoe width	15’ . 7”

AVAILABLE OPTIONS:

Cab, heat, Air	\$4,855.00
Thumb-Universal Rigid-Coupler:	\$2,992.00
Steel tracks	\$2,000.00
12” Bucket	\$941.00
24” Bucket	\$1,222.00
36” Bucket	\$1,489.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1, 4 7, 8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Victor L. Phillips

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: Hyundai R55-7

PRICE: \$ 49,840.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	52
Engine:	YANMAR
Engine Model	4TNV94L
Operating Weight	12,750 lbs
Operating Weight (metric ton)	5,700
Max Dig Depth	12' 6"
Tail overhang over side (in)	
Length of track on ground	6' 5"
Reach @ ground Level	20' 2"
Dump Height	13' 3"
Track shoe or rubber shoe width	15' . 7"

AVAILABLE OPTIONS:

Double Acting hydraulics	\$1,650.00
Lever Pattern Selector	Included
6' 3" Arm	\$805.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 90 - 120 days after receipt of order.

Vendor bidding only Districts 1, 4 7, 8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Victor L. Phillips

Item – 1 Manufacturer’s Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Takeuchi TB153FR

PRICE: \$52,115.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	38.2
Engine:	YANMAR
Engine Model	4TNV88
Operating Weight	12,681 lbs
Operating Weight (metric ton)	5.6
Max Dig Depth	12’ 10”
Tail overhang over side (in)	0
Length of track on ground	6’ 6”
Reach @ ground Level	20’ 4”
Dump Height	12’ 9”
Track shoe or rubber shoe width	15’ . 7”

AVAILABLE OPTIONS:

Cab, heat, Air	\$5,200.00
Hydraulic Thumb	\$1,540.00
12” Pin on bucket	\$705.00
24” Pin on bucket	\$805.00
36” Pin on bucket	\$995.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1, 4 7, 8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Luby Equipment

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: Case CX 50B

PRICE: \$47,950.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	40
Engine:	YANMAR
Engine Model	4TNV88
Operating Weight	10,261 lbs
Operating Weight (metric ton)	5
Max Dig Depth	11' 9"
Tail overhang over side (in)	0
Length of track on ground	6' 6"
Reach @ ground Level	19' 3"
Dump Height	13' 5.4"
Track shoe or rubber shoe width	16" Rubber track

AVAILABLE OPTIONS:

Cab, heat, Air	\$4,300.00
Manual quick coupler	\$1,150.00
12" Tooth bucket	\$900.00
18" Tooth bucket	\$1,000.00
24" Tooth bucket	\$1,200.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 3, 6 10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Crown Power

Item – 1 Manufacturer’s Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Kubota KX 161-3

PRICE: \$44,536.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	47
Engine:	Kubota
Engine Model	V2403-M
Operating Weight	11,698 lbs
Operating Weight (metric ton)	5.305
Max Dig Depth	12’ 6”
Tail overhang over side (in)	4.5
Length of track on ground	
Reach @ ground Level	20’ 6”
Dump Height	13’ 8”
Track shoe or rubber shoe width	15.7”

AVAILABLE OPTIONS:

Cab, and Air	\$4,652.00
Angle Blade	\$2,092.00
Quick attach for bucket	\$747.00
24” Bucket	\$1,104.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 30-120 days after receipt of order.

Vendor bidding only Districts 2, 5



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Dean Machinery

Item – 1 Manufacturer’s Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Caterpillar 304D CR

PRICE: \$ 44,356.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	42
Engine:	Mitsubishi
Engine Model	S4Q2
Operating Weight	10,582 lbs
Operating Weight (metric ton)	4
Max Dig Depth	10’ 10”
Tail overhang over side (in)	0
Length of track on ground	7’ 3”
Reach @ ground Level	17’ 11”
Dump Height	12’ 1”
Track shoe or rubber shoe width	16”

AVAILABLE OPTIONS:

Cab	Included
Cab & Air	Included
Mechanical Quick Coupler	\$1,900.00
Power Angle blade	\$2,487.00
Long stick	Included

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28%

Delivery will be made 150 days after receipt of order.

Vendor bidding only Districts 1,2,4,5,7,8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Rudd Equipment

Item – 1 Manufacturer’s Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Volvo EC55B

PRICE: \$61,178.25

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	52
Engine:	Volvo
Engine Model	D3.1A
Operating Weight	12,125 lbs
Operating Weight (metric ton)	5.5
Max Dig Depth	12’5”
Tail overhang over side (in)	27.5 “
Length of track on ground	6’ 4”
Reach @ ground Level	19’ 6”
Dump Height	13’ 4”
Track shoe or rubber shoe width	16”

AVAILABLE OPTIONS:

13’ Bucket with Pins	\$717.15
18” Bucket with Pins	\$1,158.15
24” Bucket with Pins	\$1,212.75
30” Bucket with Pins	\$1,378.650

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60 - 120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Rudd Equipment

Item – 1 Manufacturer’s Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Volvo ECR58

PRICE: \$54,573.75

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	52
Engine:	Volvo
Engine Model	D3.1A
Operating Weight	12,963 lbs
Operating Weight (metric ton)	5.5
Max Dig Depth	11’10”
Tail overhang over side (in)	0”
Length of track on ground	6’ 4”
Reach @ ground Level	19’ 6”
Dump Height	13’ 1”
Track shoe or rubber shoe width	15.75”

AVAILABLE OPTIONS:

Enclosed Cab with A/C and Heat	\$4,961.25
13’ Bucket with Pins	\$717.15
18” Bucket with Pins	\$1,158.15
24” Bucket with Pins	\$1,212.75
30” Bucket with Pins	\$1378.65

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60 - 120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Pat Kelly

Item – 1 Manufacturer’s Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: New Holland (Kobelco) E50B Tier 4

PRICE: \$50,503.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	39.3
Engine:	Yanmar
Engine Model	4TNV88-BXYB 4 Cyl
Operating Weight	10,275 lbs
Operating Weight (metric ton)	4.67
Max Dig Depth	11’ 9”
Tail overhang over side (in)	0”
Length of track on ground	6’ 6”
Reach @ ground Level	18’ 10”
Dump Height	13’ 5”
Track shoe or rubber shoe width	16”

AVAILABLE OPTIONS:

Cab with Air Conditioning and heat

\$5,165.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%

Delivery will be made 45 days or more after receipt of order.

Vendor bidding only Districts 2,3,5,6,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Roland Machinery

Item – 1 Manufacturer’s Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Komatsu PC45MR-3

PRICE: \$49,226.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	38.2
Engine:	Komatsu
Engine Model	4D88E-6
Operating Weight	10,600 lbs
Operating Weight (metric ton)	4.8
Max Dig Depth	12
Tail overhang over side (in)	3. 5 “
Length of track on ground	7’
Reach @ ground Level	19’ 4”
Dump Height	13’ 4”
Track shoe or rubber shoe width	16”

AVAILABLE OPTIONS:

Cab with heater and air conditionaer	\$6,130.00
Mechanical Quick Coupler	\$1,305.00
Power Angle blade	\$2,704.00
Roadliner Tracks	\$1,881.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%

Delivery will be made 90 - 100 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Tri-State Construction

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 120D

PRICE: **\$105,500.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	93
Engine:	John Deere
Engine Model	4045H
Operating Weight	28,498 lbs
Operating Weight (metric ton)	12
Max Dig Depth	19’ 11”
Depth @ 8’bottom	19’3”
Max. depth of vertical wall	18’1”
Reach @ ground Level	28’ 10”
Dump Height	21’4”
Track shoe or rubber shoe width	24”
Tail overhand over side	8’8” Swing Radius
Length of track on ground	11’9”

AVAILABLE OPTIONS:

24” Steel Pads with back fill blade	\$8,060.00
28” Pad in lieu of standard 24” pads	\$385.00
28” Steel pads with back fill blade	\$8,410.00
24” Rubber pads without blade	\$6,000.00
24” Rubber Pads with back fill blade	\$14,280.00
Air Suspension Heated Seat	\$441.00
Hydraulic Fan Drive	\$920.00
Auxiliary Hydraulics with 2-way foot controller	\$4,045.00
Auxiliary Hydraulics with 2-way hand controller	\$3,740.00
24” .48 cubic yard bucket with teeth	\$2,450.00
30” .65 cubic yard bucket with teeth	\$2,590.00
36” .81 cubic yard bucket with teeth	\$2,898.00
60” .83 cubic yard smooth lip bucket	\$2,325.00
Hydraulic Reversing Fan (requires option 7)	\$1,075.00
Hydraulic Control Pattern Changer	\$795.00
Engine Block Heater	\$265.00
Hydraulic Thumb (requires option 8 or 9)	\$5,575.00
Mechanical 3 position thumb	\$3,696.00
Helac Power Tilt (requires option 8 or 9)	\$7,965.00
JRB Hydraulic Bucket Quick Coupler	\$5,610.00
60 Month/2,500 hour Powertrain Plus Hydraulic Warranty	\$2,832.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2, 3, 5.



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Tri-State Construction

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 135D

PRICE: **\$110,000.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	93
Engine:	Isuzu
Engine Model	4JJ1X
Operating Weight	30,737 lbs
Operating Weight (metric ton)	13
Max Dig Depth	19’ 9”
Depth @ 8’bottom	19’ 2”
Max. Depth of vertical wall	16’6”
Reach @ ground Level	28’7”
Dump Height	23’7”
Track shoe or rubber shoe width	24” Steel
Tail overhand over side	4’10” Radius
Length of track on ground	11’9”

AVAILABLE OPTIONS:

24” Steel pads with back fill blade	\$8,165.00
28” Pads in lieu of standard 24”	\$385.00
28” Steel Pads with back fill blade	\$7,885.00
20” Rubber pads without blade	\$6,185.00
20” Rubber pads with back fill blade	\$14,725.00
24”.48 cubic yard Bucket with teeth	\$2,365.00
30”.65 cubic yard Bucket with teeth	\$2,530.00
36”.81 cubic yard Bucket with teeth	\$2,799.00
42”.99 cubic yard Bucket with teeth	\$2,982.00
60”.83 cubic yard Smooth Lip Bucket	\$2,325.00
Auxiliary Hydraulic with 2-way Hand Control	\$4,885.00
Hydraulic Filter Restriction Kit (recommended with Option 11)	\$850.00
Hydraulic Control Pattern Changer	\$1,235.00
Hydraulic Thumb (requires option 11)	\$5,575.00
Mechanical 3 position thumb	\$3,696.00
Helac Power Tilt (requires option 11)	\$10,027.00
JRB Hydraulic Bucket Quick Coupler	\$5,610.00
60 Month/2,500 hour Powertrain Plus Hydraulic Warranty	\$2,889.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2, 3, 5.



2011 Extension
Excavators (Statewide)
Multiple Award

Contract Number: 3-080410

Vendor: Murphy Tractor & Equipment

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 120D

PRICE: **\$105,500.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	93
Engine:	John Deere
Engine Model	4045H
Operating Weight	28,498 lbs
Operating Weight (metric ton)	12
Max Dig Depth	19’ 11”
Depth @ 8’bottom	19’3”
Max. depth of vertical wall	18’1”
Reach @ ground Level	28’ 10”
Dump Height	21’4”
Track shoe or rubber shoe width	24”
Tail overhand over side	8’8”
Length of track on ground (ft/in)	11’9”

AVAILABLE OPTIONS:

24” Steel pads with back fill blade	\$8,140.00
28” Pads with back fill blade	\$385.00
28” Steel pads with back field blade	\$8,505.00
24” Rubber pads without blade	\$6,065.00
24” Rubber pads with back fill blade	\$14,450.00
Air Suspension Heated Seat	\$450.00
Hydraulic Fan Drive	\$930.00
Auxiliary Hydraulics w/ 2-way Foot Controller	\$4,950.00
Auxiliary Hydraulics w/ 2-way Hand Controller	\$3,950.00
24” .48 Cubic Yard Bucket w/ Teeth	\$2,460.00
30” .65 Cubic Yard Bucket w/ Teeth	\$2,600.00
36” .81 Cubic Yard Bucket w/ Teeth	\$2,905.00
60” .83 Cubic Yard Smooth Lip Bucket	\$2,330.00
Hydraulic Reversing Fan (requires option 7)	\$1,090.00
Hydraulic Control Pattern Changer	\$800.00
Engine Block Heater	\$265.00
Hydraulic Thumb (requires option 8 or 9)	\$6,105.00
Mechanical 3 position thumb	\$3,750.00
Helac Power Tilt (requires option 8 or 9)	\$7,985.00
JRB Hydraulic Bucket Quick Coupler	\$5,370.00
60 Month 2,500 Powertrain Plus Hydraulic Warranty	\$2,980.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1, 4, 7, 8, 9.



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Murphy Tractor & Equipment

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 135D

PRICE: \$110,500.00

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	93
Engine:	ISUZ
Engine Model	4JJ1X
Operating Weight	30,737 lbs
Operating Weight (metric ton)	13
Max Dig Depth	19’ 9”
Depth @ 8’bottom	19’ 2”
Max. depth of vertical wall	16’6”
Reach @ ground Level	28’7”
Dump Height	23’7”
Track shoe or rubber shoe width	24” Steel
Tail overhand over side	4’10”
Length of track on ground	11’9”

AVAILABLE OPTIONS:

24” Steel pads with back fill blade	\$8,365.00
28” Pads in lieu of standard 24”	\$385.00
28” Steel pads with back fill blade	\$8,420.00
20” Rubber pads without blade	\$6,265.00
20” Rubber Pads with Back fill blade	\$14,895.00
24”.48 Cubic yard bucket with teeth	\$2,370.00
30” .65 Cubic yard bucket with teeth	\$2,540.00
36” .81 Cubic yard bucket with teeth	\$2,805.00
42” .99 Cubic yard bucket with teeth	\$2,990.00
60” .83 Smooth Lip bucket	\$2,335.00
Auxiliary Hydraulics w/ 2-way Hand Controller	\$4,970.00
Hydraulic Filter Restriction Kit (recommended with option 11)	\$865.00
Hydraulic Control Pattern Changer	\$1,350.00
Hydraulic Thumb (requires option 11)	\$6,105.00
Mechanical 3 position thumb	\$3,790.00
Helac Power Tilt (requires option 11)	\$10,055.00
JRB Hydraulic Bucket Quick Coupler	\$5,790.00
60 Month 2,500 hr. Powertrain Plus Hydraulic Warranty	\$3,045.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9.



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: ERB Equipment Co.

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 120D

PRICE: \$103,700.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	93
Engine:	John Deere
Engine Model	4045H
Operating Weight	28,500 lbs
Operating Weight (metric ton)	13
Max Dig Depth	19’ 11”
Depth @ 8’ bottom	19’ 3”
Max. depth of vertical wall	18’ 1”
Reach @ ground Level	28’ 5”
Dump Height	21’ 4”
Track shoe or rubber shoe width	28
Tail overhand over side	2’ 8”
Length of track on ground	9’ 5”

AVAILABLE OPTIONS:

24” Bucket with teeth	\$2,048.00
30” Bucket with teeth	\$2,186.00
36” Bucket with teeth	\$2,478.00
42” Bucket with teeth	\$2,548.00
Ether Starting Aid	\$205.00
Pattern Changer	\$810.00
Hydraulic Coupler, installed	\$5,285.00
Hydraulic Thumb Kit (direct) fit 36” bucket installed, With auxiliary lines kit & 2 way foot controller	\$13,630.00
Hydraulics for hammer, installed	\$3,990.00
Backfill Blade for 28” pad machine	\$8,165.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 75 days or less after receipt of order.

Vendor bidding only Districts 6 and 10.



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: ERB Equipment Co.

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 135D RTS Less blade

PRICE: \$109,200.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	93
Engine:	Isuzu
Engine Model	4JJ1X
Operating Weight	30,750 lbs
Operating Weight (metric ton)	14
Max Dig Depth	19’ 9”
Depth @ 8’bottom	19’ 2”
Max. depth of vertical wall	16’ 6”
Reach @ ground Level	28’ 7”
Dump Height	23’ 7”
Track shoe or rubber shoe width	24
Tail overhand over side	4”
Length of track on ground	9’ 5”

AVAILABLE OPTIONS:

24” Bucket with teeth	\$2,048.00
30” Bucket with teeth	\$2,190.00
36” Bucket with teeth	\$2,480.00
42” Bucket with teeth	\$2,548.00
Side cutter kit 3”	\$300.00
Hydraulic Quick Coupler, installed	\$5,285.00
Hydraulic Thumb for 36” bucket installed	\$10,645.00
Hydraulics for hammer, installed	\$3,225.00
Blade	\$8,685.00
28” Steel tracks in lieu of 24”	\$390.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 75 days or less after receipt of order.

Vendor bidding only Districts 6 and 10.



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Victor L. Phillips Co.

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Case CX 130B

PRICE: \$103,680.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	95
Engine:	Isuzu
Engine Model	AJ-4JJ1X
Operating Weight	29,500 lbs
Operating Weight (metric ton)	13. 1
Max Dig Depth	19’ 10”
Depth @ 8’bottom	19’ 3”
Max. depth of vertical wall	29’ 8”
Reach @ ground Level	28’ 4”
Dump Height	21’ 11”
Track shoe or rubber shoe width	23.6
Tail overhand over side	7”
Length of track on ground	11’ 6”

AVAILABLE OPTIONS:

24” Heavy duty bucket	\$3,488.00
30” Heavy duty bucket	\$4,065.00
60” Ditching bucket, no teeth	\$3,248.00
Double acting auxiliary hydraulics	\$4,931.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 4,7, and 8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Luby Equipment Co.

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Case CX 130B

PRICE: \$106,000.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	95
Engine:	Isuzu
Engine Model	AJ-4JJ1X
Operating Weight	27, 800 lbs
Operating Weight (metric ton)	12
Max Dig Depth	18’ 2”
Depth @ 8’bottom	17’ 6”
Max. depth of vertical wall	16’ 3”
Reach @ ground Level	27’ 3”
Dump Height	21’ 0”
Track shoe or rubber shoe width	24 Triple grouser
Tail overhand over side	33”
Length of track on ground	9’ 2”

AVAILABLE OPTIONS:

9’ 11” Arm	\$900.00
Rubber link track chain	\$5,150.00
Aux. Hydraulics for hammer	\$3,500.00
Aux. Hydraulics dual action	\$5,600.00
Hydraulic bucket coupler	\$5,800.00

Notes:

Additional options available contact fleet buyer for complete list

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2, 6 and 10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Luby Equipment Co.

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: CX 135 MSR

PRICE: \$108,500.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	95
Engine:	Isuzu
Engine Model	AJ-4JJ1X
Operating Weight	29,631 lbs
Operating Weight (metric ton)	13
Max Dig Depth	19’ 5”
Depth @ 8’ bottom	18’ 9”
Max. Depth of vertical wall	16’ 8”
Reach @ ground Level	28’ 1”
Dump Height	23’ 5”
Track shoe or rubber shoe width	24 triple grouser
Tail overhand over side	7”
Length of track on ground	9’ 2”

AVAILABLE OPTIONS:

Offset boom (15’ 6”) & arm (6’ 9”)	\$15,200.00
Rubber link track chain	\$5,900.00
Aux. hydraulics for hammer	\$3,500.00
Aux. hydraulics dual action	\$5,600.00
Hydraulic bucket coupler	\$5,800.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 3, 6 and 10



2011 Extension

**Excavators (Statewide)
Multiple Awards**

Contract Number: 3-080410

Vendor: Crown Power

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Case CX 130B

PRICE: \$107,456.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	106
Engine:	Case
Engine Model	4TA-390
Operating Weight	27,057 lbs
Operating Weight (metric ton)	12. 247
Max Dig Depth	20’
Depth @ 8’bottom	19’ 5”
Max. depth of vertical wall	17’ 6”
Reach @ ground Level	28’ 3”
Dump Height	23’ 2”
Track shoe or rubber shoe width	23.6
Tail overhand over side	6’ 11”
Length of track on ground	9’ 2”

AVAILABLE OPTIONS:

Aux Hydraulics	\$6,060.00
36” HD. Bucket	\$4,494.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0 %

Delivery will be made 30 - 120 days after receipt of order.

Vendor bidding only Districts 2, 5



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Dean Machinery

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Caterpillar 312DL

PRICE: \$106,535.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	90
Engine:	CAT
Engine Model	C4.2
Operating Weight	29,650 lbs
Operating Weight (metric ton)	12
Max Dig Depth	19’ 1”
Depth @ 8’bottom	18’ 6”
Max. depth of vertical wall	16’ 11”
Reach @ ground Level	27’ 8”
Dump Height	20’ 4”
Track shoe or rubber shoe width	24”
Tail overhand over side	37”
Length of track on ground	10’

AVAILABLE OPTIONS:

Straight Travel Pedal	\$904.00
8’ 6” Blade	\$9,899.00
Hydraulic Quick Coupler	\$9,544.00
Hydraulic Hammer Circuit	\$4,766.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28%

Delivery will be made 185 days after receipt of order.

Vendor bidding only Districts 1, 2,4,5,7,8

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 29%

Delivery will be made 150 days after receipt of order.

Vendor bidding only Districts 5,6,7,8,9,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Rudd Equipment

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Volvo EC140CL

PRICE: \$113,447.25

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	92.
Engine:	Volvo
Engine Model	D4E
Operating Weight	28,530 lbs
Operating Weight (metric ton)	13
Max Dig Depth	18’ 2”
Depth @ 8’bottom	17’ 5”
Max. depth of vertical wall	16’ 3”
Reach @ ground Level	26’ 10”
Dump Height	19’7”
Track shoe or rubber shoe width	24”
Tail overhand over side	2’ 9”
Length of track on ground	10’ 0”

AVAILABLE OPTIONS:

Dozer Blade	\$13,417.95
Hydraulic Coupler	\$6,256.95
24” Rock Bucket with teeth and pins	\$2,922.15
36” Rock Bucket with Teeth and pins	\$3,373.65

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60-120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Rudd Equipment

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Volvo ECR145CL

PRICE: \$119,897.40

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	92.
Engine:	Volvo
Engine Model	D4E
Operating Weight	32,980 lbs
Operating Weight (metric ton)	15
Max Dig Depth	18’ 2”
Depth @ 8’ bottom	17’ 6”
Max. depth of vertical wall	13’ 10”
Reach @ ground Level	26’ 10”
Dump Height	22’ 6”
Track shoe or rubber shoe width	24”
Tail overhand over side	7”
Length of track on ground	10’ 0”

AVAILABLE OPTIONS:

Dozer Blade	\$13,417.95
Hydraulic Coupler	\$6,256.95
24” Rock Bucket with teeth and pins	\$2,922.15
36” Rock Bucket with Teeth and pins	\$3,373.65
36” Ditch bucket and pins	\$2,437.05
48” Ditch bucket and pins	\$2,601.90

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60-120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Pat Kelly

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Link-Belt 130X2LC with 8’ 2” Arm

PRICE: \$94,908.00

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	95
Engine:	ISUZU
Engine Model	AJ-4JJ1X
Operating Weight	28,440 lbs
Operating Weight (metric ton)	12.9
Max Dig Depth	18’ 2”
Depth @ 8’ bottom	17’ 6”
Max. depth of vertical wall	16’ 3”
Reach @ ground Level	26’ 10”
Dump Height	21’ 0”
Track shoe or rubber shoe width	23.6”
Tail overhand over side	7”
Length of track on ground	9’ 2”

AVAILABLE OPTIONS:

9’ 10” Arm in lieu of 8’ 2”	\$451.00
Hydraulic Hammer Kit	\$3,072.00
Thumb Aux. Hydraulics	\$2,487.00
8’ 6” Hydraulic Dozer	\$7,298.00

Item B Optional Training – 12-hour operation and diagnostics: \$1,800.00 per student

Item C Optional Software – Diagnostic software, cables and interface: \$1,280.00 per set

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: \$800.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 45 days or more after receipt of order.

Vendor bidding only Districts 1,2,3,4,5,6,7,8,9,10

Add \$2,000.00 for delivery for Districts 1,2,4,7,8, & 9



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Pat Kelly

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Link-Belt 135 Spin Ace Tier 3; 7’10” Arm

PRICE: \$95,129.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	95
Engine:	ISUZU
Engine Model	AJ-4JJ1X
Operating Weight	29,100 lbs
Operating Weight (metric ton)	13.2
Max Dig Depth	17’ 11”
Depth @ 8’bottom	17’ 3”
Max. depth of vertical wall	15’ 11”
Reach @ ground Level	26’ 6”
Dump Height	22’ 8”
Track shoe or rubber shoe width	23. 6”
Tail overhand over side	4’ 10”
Length of track on ground	9’. 1”

AVAILABLE OPTIONS:

9’ 4” Arm in lieu of 7’ 10” \$456.00

Hydraulic Hammer Kit \$2,683.00

Thumb Aux. Hydraulics \$1,678.00

Item B Optional Training – 12-hour operation and diagnostics: \$1,800.00 per student

Item C Optional Software – Diagnostic software, cables and interface: \$1,280.00 per set

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: \$800.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 45 days or more after receipt of order.

Add \$2,000.00 for delivery for Districts 1,2,4,7,8, & 9

Vendor bidding only Districts 1,2,3,4,5,6,7,8,9,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Roland Machinery

Item – 2 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Komatsu PC138USLC-8

PRICE: \$113,235.00

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	92.
Engine:	Komatsu
Engine Model	SAA4D95LE-5
Operating Weight	31,500 lbs
Operating Weight (metric ton)	14. 3
Max Dig Depth	19’ 4”
Depth @ 8’bottom	18 ’9”
Max. depth of vertical wall	17’ 6”
Reach @ ground Level	28’ 3”
Dump Height	24’ 1”
Track shoe or rubber shoe width	24 ”
Tail overhand over side	10”
Length of track on ground	10’ 4”

AVAILABLE OPTIONS:

Dozer blade 8’ 6” wide	\$7,962.00
JRB Smart – Loc Quick Coupler	\$5,454.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%

Delivery will be made 60 days after receipt of order.

Vendor bidding only Districts 2, 3,5, 6, 10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Tri-State Construction

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 160D

PRICE: \$124,000.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	121
Engine:	John Deere
Engine Model	4045H
Operating Weight	39,508 lbs
Operating Weight (metric ton)	16
Max Dig Depth	21’ 4”
Depth @ 8’bottom	20’ 7”
Max. depth of vertical wall	18’ 8”
Reach @ ground Level	30’ 1”
Dump Height	21’
Track shoe or rubber shoe width	24 ”
Tail overhand over side	8, 2”
Length of track on ground	12’ 10”

AVAILABLE OPTIONS:

28” steel pads in lieu of 24” standard	\$645.00
Heated air suspension seat	\$425.00
Aux hydraulics with 2 way foot control	\$4,395.00
Aux. hydraulics with 2-way hand controls	\$3,990.00
36” .81 Cubic yard bucket with teeth	\$3,008.00
42”.99 cubic yard Bucket with teeth	\$3,150.00
48”1.35 cubic yard Bucket with teeth	\$3,920.00
60” 1.14 cubic yard Smooth Lip Bucket	\$2,550.00
Hydraulic Control Pattern Changer	\$777.00
Engine Block Heater	\$252.00
Hydraulic Reversing Fan	\$875.00
Hydraulic Filter Restriction Indicator	\$410.00
Hydraulic Thumb (requires option 3 or 4)	\$5,575.00
Mechanical 3 position thumb	\$3,696.00
JRB Hydraulic Bucket Quick Coupler	\$5,549.00
60 Month/2,500 hour Powertrain Plus Hydraulic Warranty	\$2,948.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2,3,5



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Murphy Tractor & Equipment

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 160D

PRICE: \$124,500.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	121
Engine:	John Deere
Engine Model	4045H
Operating Weight	39,508 lbs
Operating Weight (metric ton)	16
Max Dig Depth	21’ 4”
Depth @ 8’ bottom	20’ 7”
Max. depth of vertical wall	18’ 8”
Reach @ ground Level	30’ 1”
Dump Height	21’
Track shoe or rubber shoe width	24 ”
Tail overhand over side	8’ 2”
Length of track on ground	12’ 10”

AVAILABLE OPTIONS:

28” steel pads in lieu of 24” standard	\$650.00
Heated air suspension seat	\$430.00
Aux hydraulics with 2 way foot control	\$4,450.00
Aux. hydraulics with 2-way hand controls	\$4,210.00
36” .81 Cubic yard bucket with teeth	\$3,050.00
42” .99 Cubic yard bucket with teeth	\$3,160.00
48” 1.35 cubic yard bucket with teeth	\$3,930.00
60” 1.14 cubic yard smooth lip bucket	\$2,555.00
Hydraulic Control Pattern Changer	\$790.00
Engine Block Heater	\$270.00
Hydraulic Reversing Fan	\$950.00
Hydraulic Filter Restriction Indicator	\$425.00
Helac Power Tilt (requires option 3 or 4)	\$10,055.00
Hydraulic Thumb (requires option 3 or 4)	\$6,105.00
Mechanical 3 position thumb	\$3,790.00
JRB Hydraulic Bucket Quick Coupler	\$5,790.00
60 Month 2,500 hr. Powertrain Plus Hydraulic Warranty	\$3,105.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: ERB Equipment Co.

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 160DLC

PRICE: **\$123,900.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	121
Engine:	John Deere
Engine Model	4045H
Operating Weight	39,500 lbs
Operating Weight (metric ton)	17.9
Max Dig Depth	21’ 4”
Depth @ 8’ bottom	20’ 7”
Max. depth of vertical wall	18’ 8”
Reach @ ground Level	30’ 1”
Dump Height	21’ 0”
Track shoe or rubber shoe width	24 ”
Tail overhand over side	2’ 5”
Length of track on ground	10’ 2”

AVAILABLE OPTIONS:

24” Bucket with teeth	\$2,170.00
30” Bucket with teeth	\$2,310.00
36” Bucket with teeth	\$2,610.00
42” HD bucket with teeth	\$2,750.00
48” HD bucket with teeth	\$3,166.00
28” Pads	\$660.00
Heated Air Suspension Seat	\$430.00
8’6” Arm in lieu of 10’2” arm	-\$920.00
Auxiliary hydraulic lines for 10’2” stick	\$4,515.00
For hammer use with 2 way foot controller	
Reversing fan drive	\$1,066.00
Control Pattern Changer	\$790.00
Side cutters for buckets	\$295.00
Hydraulic Coupler, installed	\$5,345.00
Hydraulic thumb kit for 36” bucket (direct link), installed	\$10,328.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 75 days or less after receipt of order.

Vendor bidding only Districts 6,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Victor L. Phillips

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Case CX 160B

PRICE: \$125,275.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	120
Engine:	Isuzu
Engine Model	4JJ1X
Operating Weight	37,700 lbs
Operating Weight (metric ton)	17.105
Max Dig Depth	21’ 4”
Depth @ 8’ bottom	20’ 8”
Max. depth of vertical wall	16’ 8”
Reach @ ground Level	29’ 1”
Dump Height	21’ . 11”
Track shoe or rubber shoe width	24 ” Steel
Tail overhand over side	8’ Tail Swing Radius
Length of track on ground	10’ 6”

AVAILABLE OPTIONS:

General Purpose Bucket 24”	\$3,622.00
General Purpose Bucket 30”	\$4,053.00
General Purpose Bucket 36”	\$4,474.00
General Purpose Bucket 42”	\$4,626.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 -90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Victor L. Phillips

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Hyundai R140LC-9

PRICE: **\$84,740.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	105
Engine:	Mitsubishi
Engine Model	DO4FD-TAA
Operating Weight	30,820 lbs
Operating Weight (metric ton)	13.98
Max Dig Depth	18’ 4”
Depth @ 8’ bottom	17’
Max. depth of vertical wall	16’10”
Reach @ ground Level	26’ 11”
Dump Height	19’ 11”
Track shoe or rubber shoe width	24 ”
Tail overhand over side	
Length of track on ground	9’ 10”

AVAILABLE OPTIONS:

Air Seat	Included
Double Acting Hydraulics	\$4,165.00
Lever Pattern Selector Valve (ISO-U.S.)	Included
Dozer Blade	\$5,335.00
Hydraulic Quick Coupler	\$3,795.00
Rear-View Camera	Included
Hi Mate	Included

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 -90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Victor L. Phillips

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Hyundai R160LC-9

PRICE: \$91,005.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	116
Engine:	Mitsubishi
Engine Model	DO4FD-TAA
Operating Weight	38,360 lbs
Operating Weight (metric ton)	17. 40
Max Dig Depth	19’ 11”
Depth @ 8’bottom	19’ 3”
Max. depth of vertical wall	17’10”
Reach @ ground Level	29’ 1”
Dump Height	20’ 6”
Track shoe or rubber shoe width	24 ”
Tail overhand over side	
Length of track on ground	10’ 6”

AVAILABLE OPTIONS:

Air Seat	Included
Single Acting Hydraulics	\$3,245.00
Double Acting Hydraulics	\$3,960.00
Lever Pattern Selector Valve (ISO-U.S.)	Included
10’ 2” Arm	\$385.00
Tracks with 28” Triple Grouser	\$1,140.00
Rear-View Camera	Included
Hi Mate	Included
Coupler	\$3,980.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 90-120 days after receipt of order.

Vendor bidding only Districts 1,4,7,8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Victor L. Phillips

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Hyundai R180LC-9

PRICE: \$100,260.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	116
Engine:	Mitsubishi
Engine Model	DO4FD-TAA
Operating Weight	40,120 lbs
Operating Weight (metric ton)	18. 20
Max Dig Depth	19’ 11”
Depth @ 8’bottom	19’ 3”
Max. depth of vertical wall	17’10”
Reach @ ground Level	29’ 1”
Dump Height	20’ 6”
Track shoe or rubber shoe width	24 ”
Tail overhand over side	
Length of track on ground	11”

AVAILABLE OPTIONS:

Air Suspension Seat	Included
Single Acting Hydraulics	\$3,245.00
Double Acting Hydraulics	\$3,960.00
Lever Pattern Selector Valve (ISO-U.S.)	Included
10’ 2” Arm	\$255.00
Tracks with 32” Triple Grouser	\$695.00
Rear-View Camera	Included
Hi Mate	Included
DC Converter	Included
Coupler	\$3,980.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 -90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Luby Equipment

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Case CX 160B

PRICE: \$125,750.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	120
Engine:	Isuzu
Engine Model	4JJ1X
Operating Weight	37,700 lbs
Operating Weight (metric ton)	17
Max Dig Depth	19’ 11”
Depth @ 8’bottom	19’ 2”
Max. depth of vertical wall	16’ 8”
Reach @ ground Level	29’ 1”
Dump Height	21’ . 8”
Track shoe or rubber shoe width	24 ” Triple grouser
Tail overhand over side	45”
Length of track on ground	10’ 6”

AVAILABLE OPTIONS:

10’ 0” Arm	\$770.00
28” Triple grouser pads	\$1,300.00
Aux. hydraulics for hammer	\$3,800.00
Aux. hydraulics dual action	\$5,800.00
Hydraulic coupler for bucket	\$6,200.00
24” Tooth bucket	\$3,400.00
36” Tooth bucket	\$3,950.00
42” Tooth bucket	\$4,500.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 -90 days after receipt of order.

Vendor bidding only Districts 3,6,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Crown Power Equipment

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Case CX 160B

PRICE: \$127,439.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	120
Engine:	Isuzu
Engine Model	4JJ1X
Operating Weight	37,700 lbs
Operating Weight (metric ton)	17.1
Max Dig Depth	21’ 4”
Depth @ 8’bottom	20’ 8”
Max. depth of vertical wall	17’ 2”
Reach @ ground Level	30’ 3”
Dump Height	21’ . 11”
Track shoe or rubber shoe width	23’ . 6”
Tail overhand over side	
Length of track on ground	

AVAILABLE OPTIONS:

Auxiliary Hydraulics	\$6,250.00
42” H. D. Bucket	\$4,388.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 30 -120 days after receipt of order.

Vendor bidding only Districts 2,5



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Dean Machinery

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Caterpillar 315 DL

PRICE: \$125,665.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	115
Engine:	CAT
Engine Model	C4.2
Operating Weight	38,095 lbs
Operating Weight (metric ton)	15
Max Dig Depth	21’ 7”
Depth @ 8’ bottom	20’ 9”
Max. depth of vertical wall	19’ 1”
Reach @ ground Level	30’ 3”
Dump Height	21’ 7”
Track shoe or rubber shoe width	24”
Tail overhand over side	44”
Length of track on ground	10’ 5”

AVAILABLE OPTIONS:

Hydraulic Hammer Circuit	\$5,022.00
Hydraulic thumb	\$7,149.00
Hydraulic Quick Coupler	\$6,019.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28%

Delivery will be made 185 days after receipt of order.

Vendor bidding only Districts 1,2,4,5,7,8,



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Rudd Equipment

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Volvo EC 160C

PRICE: \$127,063.65

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	117
Engine:	Volvo
Engine Model	D6E
Operating Weight	40,700 lbs
Operating Weight (metric ton)	18
Max Dig Depth	19’10”
Depth @ 8’bottom	18’ 11”
Max. depth of vertical wall	14’ 11”
Reach @ ground Level	28’ 11”
Dump Height	20’ 11”
Track shoe or rubber shoe width	24”
Tail overhand over side	3’ 9”
Length of track on ground	10’ 5”

AVAILABLE OPTIONS:

Dozer Blade	\$14,332.50
Hydraulic coupler	\$6,891.15
24” Bucket with teeth and pins	\$3,378.90
36 “ Bucket with teeth and pins	\$3,914.40

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60-120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Pat Kelly

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Link – Belt 160X2 With 8’ 7” Arm

PRICE: \$109,431.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	120
Engine:	ISUZU
Engine Model	AI-4JJIX
Operating Weight	37,700 lbs
Operating Weight (metric ton)	17.1
Max Dig Depth	19’ 11”
Depth @ 8’ bottom	19’ 2”
Max. depth of vertical wall	19’ 11”
Reach @ ground Level	29’ 1”
Dump Height	21’ 8”
Track shoe or rubber shoe width	23’ 6”
Tail overhand over side	7’ 9”
Length of track on ground	10’ 6”

AVAILABLE OPTIONS:

10’ Arm in lieu of 8’ 7”	\$514.00
Hydraulic Hammer kit	\$3,268.00
Thumb Aux. hydraulics	\$2,641.00

Other Options are available

Add \$2,000.00 for delivery for Districts 1,2,4,7,8, & 9

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 45 days or more after receipt of order.

Vendor bidding only Districts 1,2,3,4,5,6,7,8,9,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Roland Machinery

Item – 3 Manufacturer’s Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Komatsu PC160LC-8

PRICE: \$118,690.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	115
Engine:	Komatsu
Engine Model	SAA4D107E-1
Operating Weight	37,700 lbs
Operating Weight (metric ton)	16.5
Max Dig Depth	20’ 6”
Depth @ 8’bottom	19’ 10”
Max. depth of vertical wall	17’ 5”
Reach @ ground Level	29’ 9”
Dump Height	21’ 5”
Track shoe or rubber shoe width	24”
Tail overhand over side	45”
Length of track on ground	10’ 5”

AVAILABLE OPTIONS:

Pattern Change valve	\$755.00
JRB smart-Loc Quick Coupler	\$6,210.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%

Delivery will be made 40-60 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Tri State Construction

Item – 4 Manufacturer’s Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 190 Mono Boom

PRICE: \$165,000.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	159
Engine:	ISUZU
Engine Model	4HK1X
Operating Weight	43,211lbs
Operating Weight (metric ton)	19
Max Dig Depth	19’ 2”
Depth @ 8’bottom	18’ 6”
Max. depth of vertical wall	17’ 3”
Reach @ ground Level	30’ 10”
Dump Height	21’ 2”
Blade or Outrigger	Both Standard
Transport Width	8’ 4”
Tail swing Radius	7’ 7”

AVAILABLE OPTIONS:

Front and rear outriggers	\$2,810.00
36” .97 Bucket with teeth	\$4,195.00
42” 1.19 Bucket with teeth	\$4,385.00
48” 1.39 Bucket with teeth	\$4,735.00
60” 1.14 Smooth lip bucket	\$2,761.00
Auxiliary Hydraulics with 2-way foot controller	\$6,625.00
Hydraulic Filter Restriction (recommended for option 6)	\$850.00
Hydraulic Control Pattern Changer	\$1,165.00
JRB Hydraulic Bucket Quick Coupler	\$5,911.00
Hydraulic Thumb (requires option 6)	\$5,738.00
Helac Power Tilt (uses existing hydraulics)	\$10,027.00
Mechanical 3 position thumb	\$3,975.00
60 Month/2,500 hour Powertrain Plus Hydraulic Warranty	\$3,009.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 2,3,5



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Tri State Construction

Item – 4 Manufacturer’s Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 220D Mono Boom

PRICE: \$184,600.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	159
Engine:	ISUZU
Engine Model	4HK1X
Operating Weight	49,207lbs
Operating Weight (metric ton)	22
Max Dig Depth	20’ 8”
Depth @ 8’bottom	20’ 1”
Max. depth of vertical wall	18’ 4”
Reach @ ground Level	32’ 8”
Dump Height	24’ 1”
Blade or Outrigger	Both Standard
Transport width	8’ 11”
Tail swing radius	9’ 0”

AVAILABLE OPTIONS:

Front and rear outriggers	\$2,870.00
36” .97 Bucket with teeth	\$3,440.00
42” 1.19 Bucket with teeth	\$3,810.00
48” 1.39 Cubic yard bucket with teeth	\$4,060.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 2,3,5



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Murphy Tractor & Equipment

Item – 4 Manufacturer’s Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 190 Mono Boom

PRICE: \$166,500.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	159
Engine:	ISUZU
Engine Model	4HK1X
Operating Weight	43,211lbs
Operating Weight (metric ton)	19
Max Dig Depth	19’ 2”
Depth @ 8’bottom	18’ 6”
Max. depth of vertical wall	17’ 3”
Reach @ ground Level	30’ 10”
Dump Height	21’ 2”
Blade or Outrigger	Both Standard
Transport Width	8’ 4”
Tail swing radius	7’ 7”

AVAILABLE OPTIONS:

Front and rear outriggers	\$2,850.00
36” .97 Bucket with teeth	\$4,205.00
42” 1.19 Bucket with teeth	\$4,400.00
48” 1.39 Bucket with teeth	\$4,750.00
60” 1.14 Smooth Lip bucket	\$2,770.00
Auxiliary Hydraulics with 2 way Foot Control	\$6,635.00
Hydraulic Filter Restriction (recommended for option 6)	\$865.00
Hydraulic Control Pattern Changer	\$1,485.00
JRB Hydraulic Bucket Quick Coupler	\$5,950.00
Hydraulic Thumb (requires option 6)	\$5,790.00
Helac Power Tilt (uses existing hydraulics)	\$10,055.00
Mechanical 3 position thumb	\$4,090.00
60 Month 2,500 hr. Powertrain Plus Hydraulic Warranty	\$3,105.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 1, 4,7,8,9



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Murphy Equipment

Item – 4 Manufacturer’s Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 220D Mono Boom

PRICE: \$189,000.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	159
Engine:	ISUZU
Engine Model	AdHK1X
Operating Weight	49,207lbs
Operating Weight (metric ton)	22
Max Dig Depth	20’ 8”
Depth @ 8’ bottom	20’ 1”
Max. depth of vertical wall	18’ 4”
Reach @ ground Level	32’ 8”
Dump Height	24’ 1”
Blade or Outrigger	Both Standard
Transport Width	8’ 11”
Tail swing radius	9’ 0”

AVAILABLE OPTIONS:

Front and rear outriggers	\$2,890.00
36” .97 Bucket with teeth	\$3,500.00
42” 1.19 Bucket with teeth	\$3,810.00
48” 1.39 Bucket with teeth	\$4,060.00
60” 1.14 Smooth Lip bucket	\$2,630.00
Aux. Hydraulics with 2 way foot control	\$6,700.00
Hydraulic filter restriction kit for the above options	\$900.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: ERB Equipment

Item – 4 Manufacturer’s Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 190 DW Wheeled Excavator

PRICE: \$162,780.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	159
Engine:	ISUZU
Engine Model	4HK1X
Operating Weight	44,029 lbs
Operating Weight (metric ton)	19.97
Max Dig Depth	19’ 2”
Depth @ 8’bottom	18’ 6”
Max. depth of vertical wall	17’ 3”
Reach @ ground Level	30’ 10”
Dump Height	21’ 2”
Blade or Outrigger	Blade & Rear outriggers
Transport Width	8’ 11”
Tail swing radius	7’ 7”

AVAILABLE OPTIONS:

Front and rear outriggers in lieu of front blade and outrigger	\$2,930.00
Variable geometry boom for under machine, boom tuck for roading	\$7,385.00
24” H.D. Bucket	\$2,310.00
30” H. D Bucket	\$2,470.00
36” H.D. Bucket	\$2,925.00
42” H.D. Bucket	\$3,060.00
48” H.D. Bucket	\$3,300.00
60”Ditching Bucket	\$1,925.00
3” or 6” Side Cutters	\$252.00
Hydraulic Bucket Coupler, installed	\$4,930.00
Hydraulic thumb for 42” direct link, installed	\$8,845.00
Hydraulics for Mono-Boom for hammer, installed	\$4,235.00
Control Pattern Selector	\$945.00
Wain-Roy Swinger Coupler with hydraulics, installed	\$3,300.00
60” Wain-Roy Smooth Lip Bucket with bolt on edge	\$3,335.00
36” Wain-Roy Trenching Bucket	\$2,965.00
48” Wain-Roy Trenching Bucket	\$3,410.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 60 days after receipt of order.

Vendor bidding only Districts 6,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Victor L. Phillips

Item – 4 Manufacturer’s Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Hyundai R210W-9

PRICE: **\$133,385.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	153
Engine:	Cummins
Engine Model	QSB6.7
Operating Weight	45,400 lbs
Operating Weight (metric ton)	20.5
Max Dig Depth	20’ 11”
Depth @ 8’bottom	20’ 4”
Max. depth of vertical wall	19’ 1”
Reach @ ground Level	31’ 9”
Dump Height	23’ 2”
Blade or Outrigger	2 Front with blade or \$ Outrigger option
Transport Width	8’ 2”
Tail swing radius	9’ 2”

AVAILABLE OPTIONS:

Air suspension Seat	Included
Four outriggers (in lieu of dozer blade)	\$2,520.00
Single acting hydraulics	\$3,815.00
Double acting hydraulics	\$4,605.00
Lever Pattern Selector Valve (ISO – U.S.)	Included
12’10” Arm	\$1,775.00
Rear-View Camera	Included
Hi Mate	Included
DC Converter	Included
Coupler	\$3,980.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Luby Equipment

Item – 4 Manufacturer’s Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Doosan DX 190W

PRICE: \$125,000.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	150
Engine:	Doosan
Engine Model	DB58TIS
Operating Weight	39,021 lbs
Operating Weight (metric ton)	18
Max Dig Depth	19’8”
Depth @ 8’bottom	18’ 6”
Max. depth of vertical wall	18’ 6”
Reach @ ground Level	16’ 6”
Dump Height	29’ 1”
Blade or Outrigger	4 Outriggers
Transport Width	8’ 2”
Tail swing Radius	47”

AVAILABLE OPTIONS:

24” Tooth bucket	\$4,250.00
36” Tooth bucket	\$4,700.00
42” Tooth bucket	\$4,850.00
60” Ditching bucket w/BOE	\$3,200.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 3,6,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Dean Machinery

Item – 4 Manufacturer’s Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Caterpillar M315 D

PRICE: \$180,289.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	135
Engine:	CAT
Engine Model	C4.4
Operating Weight	34,600 lbs
Operating Weight (metric ton)	15
Max Dig Depth	19’4”
Depth @ 8’bottom	18’ 9”
Max. depth of vertical wall	12’ 7”
Reach @ ground Level	30’ 1”
Dump Height	20’ 5”
Blade or Outrigger	Options
Transport Width	8’ 4”
Tail swing Radius	37”

AVAILABLE OPTIONS:

Dozer blade on front or rear	Included
Outriggers front or Rear	Included
Lights, working	Included
Rotating Beacon	\$238.00
Tilting ditching bucket	\$7,220.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28%

Delivery will be made 150 days after receipt of order.

Vendor bidding only Districts 1,2,4,5,7,8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Rudd Equipment

Item – 4 Manufacturer’s Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Volvo EW 160C Mono Block Boom

PRICE: \$148,286.25

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	142
Engine:	Volvo
Engine Model	D6E
Operating Weight	38,977 lbs
Operating Weight (metric ton)	17.7
Max Dig Depth	18’ 4”
Depth @ 8’ bottom	17’ 8”
Max. depth of vertical wall	15’ 5”
Reach @ ground Level	28’ 11”
Dump Height	20’ 4”
Blade or Outrigger	Front Blade, rear Outriggers
Transport Width	8’ 4”
Tail swing radius	7’ 1”

AVAILABLE OPTIONS:

Outriggers front and rear in lieu of blade	\$4,410.00
Hydraulic Coupler	\$7,442.40
24” Rock bucket with teeth and pins	\$2,917.95

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60 - 120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Rudd Equipment

Item – 4 Manufacturer’s Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Volvo EW 180C Mono Block Boom

PRICE: \$167,304.90

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	152
Engine:	Volvo
Engine Model	D6E
Operating Weight	42,945 lbs
Operating Weight (metric ton)	19.5
Max Dig Depth	19’1”
Depth @ 8’bottom	18’ 5”
Max. depth of vertical wall	13’ 2”
Reach @ ground Level	29’ 9”
Dump Height	21’ 2”
Blade or Outrigger	Front Blade, rear Outriggers
Transport Width	8’ 4”
Tail swing Radius	8’ 0”

AVAILABLE OPTIONS:

Outriggers front and rear in lieu of blade	\$4,961.25
Hydraulic Coupler	\$7,386.75
24” Rock bucket with teeth and pins	\$3,378.90

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60 - 120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Tri State Equipment

Item – 5 Manufacturer’s Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 220D Mono Boom

PRICE: \$186,500.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	159
Engine:	ISUZU
Engine Model	4HK1X
Operating Weight	49,207 lbs
Operating Weight (metric ton)	22
Max Dig Depth	20’8”
Depth @ 8’bottom	20’ 1”
Max. depth of vertical wall	18’ 4”
Reach @ ground Level	32’ 8”
Dump Height	24’ 1”
Blade or Outrigger	Both Standard
Transport Width	8’ 11”
Tail swing Radius	9’ 0”

AVAILABLE OPTIONS:

Front and rear outriggers	\$3,013.00
36” .97 Cubic yard bucket with teeth	\$3,612.00
42” 1.19 Cubic yard bucket with teeth	\$4,000.00
48” 1.39 Cubic yard bucket with teeth	\$4,263.00
60” 1.14 Cubic yard smooth lip bucket	\$2,761.00
Auxiliary hydraulics with 2 way foot control	\$7,000.00
Hydraulic filter restriction kit (recommended for option 6)	\$850.00
Hydraulics control pattern changer	\$1,165.00
JRB Hydraulic Bucket Quick Coupler	\$6,447.00
Hydraulic Thumb (requires option 6)	\$5,880.00
Helac Power Tilt (uses existing hydraulics)	\$13,860.00
Mechanical 3 position thumb	\$5,095.00
60 Month/2,500 hour Powertrain Plus Hydraulic Warranty	\$6,390.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2,3,5,



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Tri State Equipment

Item – 5 Manufacturer’s Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 190D Variable Geometry Boom

PRICE: \$171,500.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	159
Engine:	ISUZU
Engine Model	4HK1X
Operating Weight	44,974 lbs
Operating Weight (metric ton)	19
Max Dig Depth	19’5”
Depth @ 8’bottom	18’10”
Max. depth of vertical wall	17’ 3”
Reach @ ground Level	30’6”
Dump Height	22’10”
Blade or Outrigger	Both Standard
Transport Width	8’ 4”
Tail swing Radius	7’7”

AVAILABLE OPTIONS:

Front and rear outriggers	\$2,810.00
36” .97 Cubic yard bucket with teeth	\$4,195.00
42” 1.19 Cubic yard bucket with teeth	\$4,385.00
48” 1.39 Cubic yard bucket with teeth	\$4,510.00
60” 1.14 Cubic yard smooth lip bucket	\$2,761.00
Auxiliary Hydraulics with 2-way foot controller	\$6,625.00
Hydraulic Filter Restriction (recommended for option 6)	\$850.00
Hydraulic Control Pattern Changer	\$1,165.00
JRB Hydraulic Bucket Quick Coupler	\$5,911.00
Hydraulic Thumb (requires option 6)	\$5,738.00
Helac Power Tilt (uses existing hydraulics)	\$10,027.00
Mechanical 3 position thumb	\$5,738.00
60 Month/2,500 hour Powertrain Plus Hydraulic Warranty	\$3,009.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2,3,5,



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Tri State Equipment

Item – 5 Manufacturer’s Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 220D Variable Geometry Boom

PRICE: **\$194,000.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	159
Engine:	ISUZU
Engine Model	4HK1X
Operating Weight	51,368 lbs
Operating Weight (metric ton)	22
Max Dig Depth	19’11”
Depth @ 8’bottom	19’8”
Max. depth of vertical wall	17’ 3”
Reach @ ground Level	32’0”
Dump Height	25’0”
Blade or Outrigger	Both Standard
Transport Width	8’ 11”
Tail swing Radius	9’0”

AVAILABLE OPTIONS:

Front and rear outriggers	\$3,013.00
36” .97 Cubic yard bucket with teeth	\$3,612.00
42” 1.19 Cubic yard bucket with teeth	\$4,000.00
48” 1.39 Cubic yard bucket with teeth	\$4,263.00
60” 1.14 Cubic yard smooth lip bucket	\$2,761.00
Auxiliary Hydraulics with 2-way foot controller	\$7,000.00
Hydraulic Filter Restriction (recommended for option 6)	\$850.00
Hydraulic Control Pattern Changer	\$1,165.00
JRB Hydraulic Bucket Quick Coupler	\$6,447.00
Hydraulic Thumb (requires option 6)	\$5,880.00
Helac Power Tilt (uses existing hydraulics)	\$13,860.00
Mechanical 3 position thumb	\$5,095.00
60 Month/2,500 hour Powertrain Plus Hydraulic Warranty	\$6,390.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2,3,5,



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Murphy Tractor Equipment

Item – 5 Manufacturer’s Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 220D Mono Boom

PRICE: \$189,500.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	159
Engine:	ISUZU
Engine Model	4HK1X
Operating Weight	49,207 lbs
Operating Weight (metric ton)	22
Max Dig Depth	20’8”
Depth @ 8’bottom	20’ 1”
Max. depth of vertical wall	18’ 4”
Reach @ ground Level	32’ 8”
Dump Height	24’ 1”
Blade or Outrigger	Both Standard
Transport Width	8’ 11”
Tail swing Radius	9’ 0”

AVAILABLE OPTIONS:

Front and rear outriggers	\$3,050.00
36” .97 Cubic yard bucket with teeth	\$3,685.00
42” 1.19 Cubic yard bucket with teeth	\$4,010.00
48” 1.39 Cubic yard bucket with teeth	\$4,275.00
60” 1.14 Cubic yard smooth lip bucket	\$2,770.00
Auxiliary Hydraulics with 2 way Foot Control	\$7,055.00
Hydraulic Filter Restriction Kit (recommended for option 6)	\$950.00
Hydraulic Control Pattern Changer	\$1,370.00
JRB Hydraulic Bucket Quick Coupler	\$6,530.00
Hydraulic Thumb (requires option 6)	\$5,895.00
Helac Power Tilt (uses existing hydraulics)	\$13,895.00
Mechanical 3 position thumb	\$5,160.00
60 Month 2,500 hr. Powertrain Plus Hydraulic Warranty	\$6,730.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Murphy Tractor Equipment

Item – 5 Manufacturer’s Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 190D Variable Geometry Boom

PRICE: \$173,500.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	159
Engine:	ISUZU
Engine Model	4HK1X
Operating Weight	44,974 lbs
Operating Weight (metric ton)	19
Max Dig Depth	19’5”
Depth @ 8’bottom	18’10”
Max. depth of vertical wall	17’ 3”
Reach @ ground Level	30’6”
Dump Height	22’10”
Blade or Outrigger	Both Standard
Transport Width	8’4”
Tail swing Radius	7’7”

AVAILABLE OPTIONS:

Front and rear outriggers	\$2,700.00
36” .97 Cubic yard bucket with teeth	\$3,995.00
42” 1.19 Cubic yard bucket with teeth	\$4,175.00
48” 1.39 Cubic yard bucket with teeth	\$4,510.00
60” 1.14 Cubic yard smooth lip bucket	\$2,630.00
Auxiliary Hydraulics with 2 way Foot Control	\$6,300.00
Hydraulic Filter Restriction Kit (recommended for option 6)	\$820.00
Hydraulic Control Pattern Changer	\$1,410.00
JRB Hydraulic Bucket Quick Coupler	\$5,650.00
Hydraulic Thumb (requires option 6)	\$5,500.00
Helac Power Tilt (uses existing hydraulics)	\$13,200.00
Mechanical 3 position thumb	\$3,885.00
60 Month 2,500 hr. Powertrain Plus Hydraulic Warranty	\$3,009.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Murphy Tractor Equipment

Item – 5 Manufacturer’s Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: John Deere 220D Variable Geometry Boom

PRICE: \$195,500.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	159
Engine:	ISUZU
Engine Model	4HK1X
Operating Weight	51,368 lbs
Operating Weight (metric ton)	22
Max Dig Depth	19’11”
Depth @ 8’bottom	19’8”
Max. depth of vertical wall	17’ 3”
Reach @ ground Level	32’0”
Dump Height	25’0”
Blade or Outrigger	Both Standard
Transport Width	8’11”
Tail swing Radius	9’0”

AVAILABLE OPTIONS:

Front and rear outriggers	\$3,050.00
36” .97 Cubic yard bucket with teeth	\$3,690.00
42” 1.19 Cubic yard bucket with teeth	\$4,010.00
48” 1.39 Cubic yard bucket with teeth	\$4,275.00
60” 1.14 Cubic yard smooth lip bucket	\$2,770.00
Auxiliary Hydraulics with 2 way Foot Control	\$7,055.00
Hydraulic Filter Restriction Kit (recommended for option 6)	\$950.00
Hydraulic Control Pattern Changer	\$1,370.00
JRB Hydraulic Bucket Quick Coupler	\$6,530.00
Hydraulic Thumb (requires option 6)	\$5,900.00
Helac Power Tilt (uses existing hydraulics)	\$13,895.00
Mechanical 3 position thumb	\$5,160.00
60 Month 2,500 hr. Powertrain Plus Hydraulic Warranty	\$6,730.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Dean Machinery

Item – 5 Manufacturer’s Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Caterpillar M315D

PRICE: \$188,006.00

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	135
Engine:	CAT
Engine Model	C4.4
Operating Weight	34,600-39,500
Operating Weight (metric ton)	15
Max Dig Depth	19’4”
Depth @ 8’bottom	18’ 9”
Max. depth of vertical wall	12’ 7”
Reach @ ground Level	30’ 1”
Dump Height	20’ 5”
Blade or Outrigger	Options
Transport Width	8’ 4”
Tail swing Radius	37”

AVAILABLE OPTIONS:

Dozer blade front & Rear	Included
Outriggers front & rear	Included
Lights Working	Included
Rotating beacon	\$238.00
Tilting Ditch cleaning bucket	\$7,220.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28%

Delivery will be made 150 days after receipt of order.

Vendor bidding only Districts 1,2,4,5,7,8



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Rudd Equipment

Item – 5 Manufacturer’s Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Volvo EW160C Two Piece Boom

PRICE: \$150,932.25

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	142
Engine:	Volvo
Engine Model	D6E
Operating Weight	39,727
Operating Weight (metric ton)	18
Max Dig Depth	18’3”
Depth @ 8’bottom	17’ 8”
Max. depth of vertical wall	14’ 7”
Reach @ ground Level	29’ 5”
Dump Height	22’ 11”
Blade or Outrigger	Outriggers
Transport Width	8’ 4”
Tail swing Radius	7’ 1”

AVAILABLE OPTIONS:

Outriggers front and rear in lieu of blade	\$4,410.00
Hydraulic coupler	\$7,442.40
24” Rock Bucket with teeth and pin	\$2,917.95
36” Rock bucket with teeth and pins	\$3,373.65
36” Ditch bucket and pins	\$2,601.90

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60 -120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10



2011 Extension

**Excavators (Statewide)
Multiple Award**

Contract Number: 3-080410

Vendor: Rudd Equipment

Item – 5 Manufacturer’s Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer’s standard literature.

MAKE/MODEL: Volvo EW180C Two Piece Boom

PRICE: \$169,233.75

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	152
Engine:	Volvo
Engine Model	D6E
Operating Weight	44,270
Operating Weight (metric ton)	20
Max Dig Depth	19’5”
Depth @ 8’bottom	18’ 9”
Max. depth of vertical wall	14’ 6”
Reach @ ground Level	30’ 5”
Dump Height	23’ 11”
Blade or Outrigger	Front blade, Rear Outriggers
Transport Width	8’ 4”
Tail swing Radius	8’ 0”

AVAILABLE OPTIONS:

Outriggers front and rear in lieu of blade	\$4,961.25
Hydraulic coupler	\$7,386.75
24” Rock Bucket with teeth and pin	\$3,378.90

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60 -120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10